VZ and WL series models Service Booklet

ALLOYTEC AND ALLOYTEC 190 V6 PETROL ENGINES

This supplement provides the service schedule and coupons for VZ and WL series models fitted with Alloytec and Alloytec 190 V6 Petrol engines.

This supplement should be kept, together with the Owner's Handbook, in the glovebox of your car.

Vehicle Identification Certificate

Owner's name

Owner's address

Town State Postcode

Vehicle Identification Number (17 character ISOVIN)

Model name

Registration number Engine number

Odometer reading

Date of purchase

Selling Retailer's Stamp and Signature

Holden Ltd, ABN 84 006 893 232 (hereinafter Holden)

Change of name, address or ownership
In the event of a Safety Recall, or for various reasons, Holden may need to contact you as the owner of this vehicle. Also, if less than three years old, this vehicle will qualify for Roadside Assistance, refer to Chapter 9 in your Owner Handbook.

If you have recently changed your address, or name, or purchased this vehicle second-hand, please help us to help you by taking a few minutes to fill in and mail the form on the third page of this handbook. For information about Holden's privacy policy, please visit Holden's website at www.holden.com.au.

Printed in Australia
Part No. 92209615
June 2004 (Alloytec and Alloytec 190 V6 Petrol Engines Print 1)

© 2004 Holden Ltd
Reproduction in whole or part is prohibited without written approval from Holden Ltd, ABN 84 006 893 232.

Alloytec and Alloytec190 V6 Petrol engines

Page

2 Determining service intervals
- Frequent maintenance

3 Service intervals
- Distance / time based
- Service reminder message

4 Servicing
- The free first inspection
- Service coupons
- Your Holden Dealer
- Warranty and service

6 Service Schedule

12 Service charges

13 Regular service coupons

41 Intermediate service coupons

DETERMINING SERVICE INTERVALS

Determining the proper service interval

The operating conditions of your vehicle determine the service interval as shown below. Use the odometer reading or the time interval, whichever occurs first, to determine when the service is due.

Under certain operating conditions, not only does your Holden require more regular servicing, it also requires additional servicing to ensure maximum safety, performance and longevity.

The additional service requirements typically include more frequent replacement of lubricating oils for example, engine transmission fluids and the more frequent inspection of steering, suspension and brake system components.

Also, brake fluid deteriorates with time and should normally be replaced every two years. However, heavy duty towing places a higher demand on the brake system. Therefore, brake fluid should be replaced each year if towing 1600 kg (or higher).

Your Holden Dealer will be able to determine the appropriate service requirements for your vehicle according to your operating conditions.

If you drive less than 15 000 km in a 12 month period, some oils may require changing more frequently. Engine oil can deteriorate faster than normal if the engine is operated in significantly hot or cold conditions or if driving in unusual environments (for example, high dust levels).

7500 km or 6 months intervals (Intermediate service)

Use 7500 km or 6 months intervals if you regularly operate your vehicle under any or all of the following conditions:

- Operating on rough, dusty or loose surfaced roads.
- Towing a caravan, large trailer or boat.
- Repeated short trips less than 5 km in cold weather, or where the engine does not reach normal operating temperature.
- Extensive idling and / or low-speed driving for a long distance such as police cars, taxis or door-to-door calls.
- Extended high-speed driving under heavy load in high temperatures.

15 000 km or 12 month intervals (regular service)

If any of the above conditions are not relevant to driving patterns, you need only perform maintenance every 15 000 km or 12 months.

SERVICE INTERVALS

Distance / time based service intervals

The first inspection is due at 3000km or 3 months (whichever occurs first). The first service is due at 15 000 km or 12 months (whichever occurs first). Thereafter, at every 15 000 km or 12 months since the last service (whichever occurs first). Additional services are required under certain driving conditions, such as when towing. (Refer to page 2).

Service reminder message

A service reminder message is built into the trip computer. The reminder message first appears 1000 km before the service is due, giving you time to arrange for the service to be carried out. The message shows on the Trip computer for 10 seconds whenever the ignition is switched on or off, until the trip computer is reset. When the service is overdue, the message flashes for 10 seconds when the ignition is turned on or off.

It should be noted that the service reminder message applies only for "Regular" service intervals.

- **3000 km Service displays** when the vehicle has travelled 2000 km since it was built.

- **15 000 km Service** displays when the vehicle has travelled 14 000 km since it was built.

- **30 000 km Service** displays when the vehicle has travelled 29 000 km since it was built.

This message is triggered by a distance calculation.

The trip computer will be reset by your Holden Dealer when the vehicle is serviced.

Remember to consider additional service requirements based on time and driving conditions. Refer to page 2.

SERVICING

The free first inspection

The 3 000 km inspection is performed free of charge by the Selling Dealer. A different Holden Dealer may perform this inspection if provided with a Letter of Authority or similiar.

The Selling Dealer may supply this authorisation upon request.

Service coupons

Service coupons are provided at the end of this booklet. When each service is performed, the appropriate coupon is removed. This reveals the next coupon to remind you when the next service is due.

After each service, check that the service has been validated with the Dealer's stamp and signature on the coupon stub. This is important as it not only assists in the determination of Warranty Claims, but enhances the value of the vehicle when selling.

Service coupons are provided for each service up to the 210 000 km service. After that time, the Maintenance Plan on pages 6 to 11 should be followed, commencing with the 45 000 km service.

If you are driving your vehicle outside of the normal driving operations you may need to conduct intermediate servicing. Service coupons for these intermediate services can be found between each of the major services.

Your Holden Dealer

When it comes to service, remember that your Holden Dealer has the trained personnel and specialised equipment to correctly service your vehicle. Your Dealer invites you to return for all your service needs both during and after the Warranty Period.

The safety, economy, emission control, performance and reliability of your vehicle cannot be assured unless regular maintenance is performed, preferably by factory-trained technicians at Holden Dealers.

Warranty and service

All maintenance services listed in this Handbook, and replacement of service items, are the responsibility of the owner and as such are NOT considered under the provisions of the New Vehicle Warranty to be rectification of defective material and workmanship. Items such as wheel alignment, necessary adjustments to drive belts, transmission, clutch and parking brake or any other items which may require servicing due to fair wear and tear are carried out at the owner's cost.

Damage caused by failure to have proper maintenance services carried out by an authorised Holden Dealer or authorised Service Outlet, or in accordance with Holden's specifications, may void your New Vehicle Warranty. It is strongly recommended that you read the 'New Vehicle Warranty' in Chapter 9 of your Owner's Handbook so that you are aware of your Warranty exclusions.

NOTES

MAINTENANCE SCHEDULE

x 1000 km or	3	15	30	45	60	75	90	105	120	135	150	165
cumulative months **(whichever occurs first)**	3	+12	+12	+12	+12	+12	+12	+12	+12	+12	+12	+12
Under bonnet												
*Refill engine oil and change engine oil filter.	-	X	X	X	X	X	X	X	X	X	X	X
Check fluid levels: brake, power steering, clutch, auto transmission and washer. Check coolant % with tester and check level (pressure test if level is low).	X	X	X	X	X	X	X	X	X	X	X	X
Check battery electrolyte and fluid level.	X	X	X	X	X	X	X	X	X	X	X	X
Check accessory drive belt length and condition.	-	-	-	X	X	X	X	X	X	X	X	X
Check for signs of deterioration and / or leaks from the engine, fluid reservoirs, air ducts, all hoses and clamps.	X	X	X	X	X	X	X	X	X	X	X	X
Drain and refill cooling system with recommended inhibitor and clean fresh water. Clean the outside of the radiator and A/C condenser.	Change required every 60 months (regardless of kms)											
*Replace air cleaner element.	-	-	-	X	-	-	X	-	-	X	-	-
Replace spark plugs.	-	-	-	-	-	-	-	-	X	-	-	-

Maintenance schedule continued next page.

*Items requiring additional servicing under some driving conditions. Refer to page 2.

MAINTENANCE SCHEDULE cont.

x 1000 km or cumulative months **(whichever occurs first)**	180 +12	195 +12	210 +12	
Under bonnet				
*Change engine oil and engine oil filter.	X	X	X	
Check fluid levels: brake, power steering, clutch, auto transmission and washer. Check coolant % with tester and check level (pressure test if level is low).	X	X	X	
Check battery electrolyte and fluid level.	X	X	X	
Check accessory drive belt length and condition.	X	X	X	
Check for signs of deterioration and / or leaks from the engine, fluid reservoirs, air ducts, all hoses and clamps.	X	X	X	
Drain and refill cooling system with recommended inhibitor and clean fresh water. Clean the outside of the radiator and A/C condenser.				Change required every 60 months (regardless of kms)
*Replace air cleaner element.	X	-	-	
Replace spark plugs.	-	-	-	

Maintenance schedule continued next page.

*Items requiring additional servicing under some driving conditions. Refer to page 2.

MAINTENANCE SCHEDULE cont.

x 1000 km or	3	15	30	45	60	75	90	105	120	135	150	165
cumulative months **(whichever occurs first)**	3	+12	+12	+12	+12	+12	+12	+12	+12	+12	+12	+12
Under vehicle												
Replace fuel filter and retainer (external type)	-	-	-	X	-	-	X	-	-	X	-	-
Replace fuel filter and seal (in-tank type)	-	-	-	-	-	-	-	-	-	-	-	-
(Not AWD) Check final drive oil level.	-	-	-	X	-	-	X	-	-	X	-	-
(AWD) Check front & rear final drive oil level.	-	-	-	X	-	-	X	-	-	X	-	-
*(Not AWD) Check final drive oil.	Not required under normal driving conditions											
*(AWD) Check final drive oil. (Includes front, rear & transfer case oil.)	Change at 165 000 km											
(Not AWD) Check final drive & auto trans for leaks.	X	X	X	X	X	X	X	X	X	X	X	X
(AWD) Check front & rear final drives, transfer case & auto trans for leaks.	X	X	X	X	X	X	X	X	X	X	X	X
*Change auto trans fluid & gasket (4spd.)	-	-	-	-	-	-	-	X	-	-	-	-
*Change auto trans fluid & filter (5spd.)	-	-	-	-	-	-	-	-	-	-	X	-
Manual transmission - Check for leaks.	-	-	-	-	-	-	-	-	-	-	-	X
Inspect front and rear disc pads for wear and discs for surface condition.	-	X	X	X	X	X	X	X	X	X	X	X
*Check park brake linings drums for wear.	-	-	-	X	-	-	X	-	-	X	-	-
Inspect tyres for irregular wear or damage. (1) Rotate and balance wheels. Check air pressures and for wheel damage.	X	X	X	X	X	X	X	X	X	X	X	X
*Drain, refill and bleed brake system. Check brake performance during road test.	Change every 24 months (regardless of km)											
Drain, refill and bleed clutch system.	Change every 24 months (regardless of km)											
Check all brake and fuel lines and hoses for condition, attachment and routing.	X	X	X	X	X	X	X	X	X	X	X	X
*Inspect front and rear suspension and steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines and hoses for condition, attachment, routing and leaks.	X	X	X	X	X	X	X	X	X	X	X	X
Inspect exhaust and adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle and check for exhaust leaks.	X	X	X	X	X	X	X	X	X	X	X	X
Inspect all constant velocity joints for damage or torn boots and propshaft rubber couplings for tears or splits.	X	X	X	X	X	X	X	X	X	X	X	X
Auto load levelling, if fitted. Change air filter.	-	-	-	X	-	-	X	-	-	X	-	-

Maintenance schedule continued next page.

(1) Rotate & balance of wheels not required at 3 000km inspection.

*Items requiring additional servicing under some driving conditions. Refer to page 2.

MAINTENANCE SCHEDULE cont.

x 1000 km or cumulative months **(whichever occurs first)**	180 +12	195 +12	210 +12
Under vehicle			
Replace fuel filter and retainer (external type)	-	-	-
Replace fuel filter and seal (in-tank type)	-	-	-
(Not AWD) Check final drive oil level.	-	-	-
(AWD) Check front & rear final drive oil level.	X	-	-
*(Not AWD) Check final drive oil.	Not required under normal driving conditions		
*(AWD) Chase final drive oil. (Includes front, rear & transfer case oil.)	Change at 165 000 km		
(Not AWD) Check final drive & auto trans for leaks.	X	X	X
(AWD) Check front & rear final drives, transfer case & auto trans for leaks.	X	X	X
*Change auto trans fluid & gasket (4spd.)	-	-	X
*Change auto trans fluid & filter (5spd.)	-	-	-
Manual transmission - Check for leaks.	-	-	-
Inspect front and rear disc pads for wear and discs for surface condition.	X	X	X
*Check park brake linings drums for wear.	-	-	-
Inspect tyres for irregular wear or damage. Rotate and balance wheels. Check air pressures and for wheel damage.	X	X	X
*Drain, refill and bleed brake system. Check brake performance during road test.	Change every 24 months (regardless of km)		
Drain, refill and bleed clutch system.	Change every 24 months (regardless of km)		
Check all brake and fuel lines and hoses for condition, attachment and routing.	X	X	X
*Inspect front and rear suspension and steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines and hoses for condition, attachment, routing and leaks.	X	X	X
Inspect exhaust and adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle and check for exhaust leaks.	X	X	X
Inspect all constant velocity joints for damage or torn boots and propshaft rubber couplings for tears or splits.	X	X	X
Auto load levelling, if fitted. Change air filter.	-	-	-

Maintenance schedule continued next page.

*Items requiring additional servicing under some driving conditions. Refer to page 2.

MAINTENANCE SCHEDULE cont.

x 1000 km or	3	15	30	45	60	75	90	105	120	135	150	165
cumulative months **(whichever occurs first)**	3	+12	+12	+12	+12	+12	+12	+12	+12	+12	+12	+12
Under vehicle cont.												
Clean and lubricate auto transmission shift linkage.	X	X	X	X	X	X	X	X	X	X	X	X
*Check carbon canister for leaks or restrictions.	-	-	-	X	-	-	X	-	-	X	-	-
Inspect A/C drain tubes for blockage.	-	-	-	X	-	-	X	-	-	X	-	-
(Not AWD) Inspect sunroof drain holes for blockage.	X	X	X	X	X	X	X	X	X	X	X	X
(AWD) Inspect sunroof front drain grommet for blockage	X	X	X	X	X	X	X	X	X	X	X	X
Inspect oil pan shield for damaged, missing or misaligned parts and loose connections.	X	X	X	X	X	X	X	X	X	X	X	X
Vehicle interior												
*Check park brake operation.	X	X	X	X	X	X	X	X	X	X	X	X
Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.	X	X	X	X	X	X	X	X	X	X	X	X
Reset service reminder display.	X	X	X	X	X	X	X	X	X	X	X	X
Vehicle exterior												
Check operation of all exterior lights.	X	X	X	X	X	X	X	X	X	X	X	X
Lubricate bonnet catch, hinges and all lock cylinders.	X	X	X	X	X	X	X	X	X	X	X	X
Check transmitter range of security system.	X	X	X	X	X	X	X	X	X	X	X	X
(AWD) Inspect sunroof rear drain grommets for blockage. (Top corner of the tailgate opening area.)	X	X	X	X	X	X	X	X	X	X	X	X
Road test												
Check braking, steering, engine response & transmission operation. Check operation of cruise control. Check park pawl operation. Check air conditioner performance. Check neutral start switch.	X	X	X	X	X	X	X	X	X	X	X	X

Maintenance schedule continued next page.

*Items requiring additional servicing under some driving conditions. Refer to page 2.

MAINTENANCE SCHEDULE cont.

x 1000 km or cumulative months **(whichever occurs first)**	180 +12	195 +12	210 +12
Under vehicle cont.			
Clean and lubricate auto transmission shift linkage.	X	X	X
*Check carbon canister for leaks or restrictions.	-	-	-
Inspect A/C drain tubes for blockage.	-	-	-
(Not AWD) Inspect sunroof drain holes for blockage.	X	X	X
(AWD) Inspect sunroof front drain grommet for blockage	X	X	X
Inspect oil pan shield for damaged, missing or misaligned parts and loose connections.	X	X	X
Vehicle interior			
*Check park brake operation.	X	X	X
Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.	X	X	X
Reset service reminder display.	X	X	X
Vehicle exterior			
Check operation of all exterior lights.	X	X	X
Lubricate bonnet catch, hinges and all lock cylinders.	X	X	X
Check transmitter range of security system.	X	X	X
(AWD) Inspect sunroof rear drain grommets for blockage. (Top corner of the tailgate opening area.)	X	X	X
Road test			
Check braking, steering, engine response & transmission operation. Check operation of cruise control. Check park pawl operation. Check air conditioner performance. Check neutral start switch.	X	X	X

*Items requiring additional servicing under some driving conditions. Refer to page 2.

SERVICE CHARGES

Lubricants and materials

The owner is charged for all lubricants and materials used.

Brake fluid

Must be changed every 24 months (charge added for brake fluid and 0.4 hour labour).

Clutch fluid

Must be changed every 24 months (charge added for clutch fluid and 0.2 hour labour).

Engine coolant

Must be changed every 60 months (charge added for engine coolant, and 0.4 hour labour).

Fuel filter and seal (in-tank)

Must be changed every 210 000 km. (charge added for parts, and 1.0 hour labour)

Fault repairs

The owner is charged for the repair or replacement of any part found faulty during a service check and not covered by Holden Warranty.

Where any deficiencies are noted, such items should be reported to the owner / operator and the extra work authorised.

Additives not recommended

The use of break-in oil, tune-up compounds, friction reducing compounds and other supplemental additives are not recommended; their use not only increases operating costs, but may indeed be harmful to your vehicle.

3000 km / 3months
Free inspection validation

This vehicle has been thoroughly checked in accordance with the 3000 km / 3 month free inspection.

Dealer .....

Service Manager's signature .....

Date ..... Odometer reading .....

Free inspection Coupon: 3000 km or 3 months

This coupon should not be removed until the vehicle is presented for service.

Owner's Name Mr / Mrs / Miss .....

Other .....

Address .....

Town .....

State ..... Postcode .....

Registration ..... Engine no .....

ISOVIN ..... Model .....

Selling Dealer's Stamp and Signature .....

Date of Acquisition .....

This vehicle has been thoroughly checked in accordance with the schedule on the reverse side of this coupon.

Servicing Dealer's Stamp and Signature .....

Servicing Dealer .....

Town ..... State .....

Owner's signature .....

This inspection is provided free of charge.

Under bonnet

- ❑ Check fluid levels: brake, power steering, clutch, automatic transmission and washer. Check coolant inhibitor % with tester and check level (pressure test if level low).
- ❑ Check battery electrolyte and fluid level.
- ❑ Check for signs of deterioration and/or leaks from engine, fluid reservoirs, air ducts, all hoses and clamps

Under vehicle

- ❑ Check final drive and transmission for leaks.
- ❑ Inspect tyres for irregular wear and damage. Check tyre pressures. Check for damaged wheels.
- ❑ Check all brake and fuel pipes and hoses for condition, attachment and routing.
- ❑ Inspect front and rear suspension and steering system for damaged, loose or missing parts, signs of wear or lack of lubrication. Inspect power steering pipes and hoses for condition, attachment and routing and leaks.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears and splits.
- ❑ Inspect exhaust system and adjacent underbody. Look for damaged, missing or misaligned parts, open seams, holes or loose connections. Run vehicle and check for exhaust leaks.
- ❑ Clean and lubricate automatic transmission shift linkage.
- ❑ Inspect sunroof drain holes for blockage.
- ❑ Inspect oil pan for damaged, missing or misaligned parts and loose connections.
- ❑ (AWD) Check front & rear final drives, transfer case & auto trans for leaks.
- ❑ (AWD) Inspect sunroof front drain grommet for blockage.

Vehicle interior

- ❑ Check park brake operation.
- ❑ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ❑ Reset service reminder display.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Lubricate bonnet catch, door hinges and all lock cylinders.
- ❑ Check transmitter range of security system.
- ❑ (AWD) Inspect sunroof rear drain grommets for blockage. (Top corners of tailgate.)

Road Test

- ❑ Check for braking, steering, engine response and transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for, and complete, all relevant outstanding service campaigns and manufacturer recalls.

Service Coupon: 15 000 km or 12 months from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants as listed:

- 1.2 hours labour
- engine oil and engine oil filter

There will also be a charge for additional services as requested:
.....
.....
.....
Signature ..... Date .....

Note: If the owner of this vehicle has changed since the last service, refer to the change form in the introduction of your Owner's Handbook.

Under bonnet

- ❑ Change engine oil and engine oil filter.
- ❑ Check fluid levels: brake, power steering, clutch, automatic transmission and washer. Check coolant inhibitor % with tester and check level (pressure test if level low).
- ❑ Check battery electrolyte and fluid level.
- ❑ Check for signs of deterioration and/or leaks from engine, fluid reservoirs

- ❑ Brake Fluid Change every 2 years (regardless of km)
- ❑ Clutch Fluid Change every 2 years (regardless of km)
- ❑ Coolant Change every 5 years (regardless of km)

Service items continue next page.

Service Validation
15 000 kms or 12 months since last service (whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 15 000 km / 12 month service.
Servicing Dealer .....
Date of Service ..... Odometer .....
Signed .....
Additional services performed:
.....
.....
.....

Under vehicle

- ❑ Check final drive and transmission for leaks.
- ❑ Inspect front and rear disc pads for wear. Disc surface condition. Rotate and balance wheels.
- ❑ Inspect tyres for irregular wear and damage. Check tyre pressures. Check for damaged wheels.
- ❑ Check all brake and fuel pipes and hoses for condition, attachment and routing.
- ❑ Inspect front and rear suspension and steering system for damaged, loose or missing parts, signs of wear or lack of lubrication. Inspect power steering pipes and hoses for condition, attachment and routing and leaks.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears and splits.
- ❑ Inspect exhaust system and adjacent underbody. Look for damaged, missing or misaligned parts, open seams, holes or loose connections. Run vehicle and check for exhaust leaks.
- ❑ Clean and lubricate automatic transmission shift linkage.
- ❑ Inspect sunroof drain holes for blockage.
- ❑ Inspect oil pan for damaged, missing or misaligned parts and loose connections.
- ❑ (AWD) Check front & rear final drives, transfer case & auto trans for leaks.
- ❑ (AWD) Inspect sunroof front drain grommet for blockage.

Vehicle interior

- ❑ Check park brake operation.
- ❑ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ❑ Reset service reminder display.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Lubricate bonnet catch, door hinges and all lock cylinders.
- ❑ Check transmitter range of security system.
- ❑ (AWD) Inspect sunroof rear drain grommets for blockage. (Top corners of tailgate.)

Road Test

- ❑ Check for braking, steering, engine response and transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for, and complete, all relevant outstanding service campaigns and manufacturer recalls.

Service Validation
22 500 kms or 6 months since last service
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 22 500 km / 6 month service.
Servicing Dealer .....
Brake fluid changed: YES / NO Coolant changed: YES / NO
Clutch fluid changed YES / NO / N/A (Not Applicable)
Date of Service ..... Odometer .....
Signed .....
Additional services performed:
.....
.....
.....

Service Coupon: 22 500 km or 6 months

from the last major service (whichever occurs first)
*Only required for vehicles that are operated in extreme conditions.**

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants as listed:

- 0.4 hours labour

There will also be a charge for additional services as requested:
.....
.....
.....
Signature ..... Date .....

Note: If the owner of this vehicle has changed since the last service, refer to the change form in the introduction of your Owner's Handbook.

Under vehicle

- ❑ Inspect front and rear disc pads for wear.
- ❑ Check all brake hoses and pipes for condition, attachment and routing.
- ❑ Inspect steering system for damaged, loose or missing parts, signs of wear or lack of lubrication.
- ❑ Inspect ball joints and dust covers.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears and splits.
- ❑ Inspect light operation.

- ❑ Brake Fluid Change every 2 years (regardless of km)
- ❑ Clutch Fluid Change every 2 years (regardless of km)
- ❑ Coolant Change every 5 years (regardless of km)

*For applicable operating conditions , refer to page 2.

Service Validation
30 000 kms or
12 months
since last service
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 30 000 km / 12 month service.

Servicing Dealer .....

Date of Service ..... Odometer .....

Signed .....

Additional services performed:

.....

.....

.....

Service Coupon: 30 000 km or 12 months
from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants as listed:

- 1.2 hours labour
- engine oil and engine oil filter
- if brake fluid changed add 0.4 hour plus brake fluid
- if clutch fluid changed add 0.2 hour plus clutch fluid
- if engine coolant changed add 0.4 hour plus coolant

There will also be a charge for additional services as requested:

.....

.....

.....

Signature ..... Date .....

Note: If the owner of this vehicle has changed since the last service, refer to the change form in the introduction of your Owner's Handbook.

Under bonnet

- ❑ Change engine oil and engine oil filter.
- ❑ Check fluid levels: brake, power steering, clutch, automatic transmission and washer. Check coolant inhibitor % with tester and check level (pressure test if level low).
- ❑ Check battery electrolyte and fluid level.
- ❑ Check for signs of deterioration and/or leaks from engine, fluid reservoirs, air ducts, all hoses and clamps.

- ❑ Brake Fluid Change every 2 years (regardless of km)
- ❑ Clutch Fluid Change every 2 years (regardless of km)
- ❑ Coolant Change every 5 years (regardless of km)

Service items continue next page.

Under vehicle

- ❑ Check final drive and transmission for leaks.
- ❑ Inspect front and rear disc pads for wear. Disc surface condition. Rotate & balance wheels.
- ❑ Check park brake linings and drums for wear.
- ❑ Inspect tyres for irregular wear and damage. Check tyre pressures. Check for damaged wheels.
- ❑ Check all brake and fuel lines and hoses for condition, attachment and routing.
- ❑ Inspect front and rear suspension and steering system for damaged, loose or missing parts, signs of wear or lack of lubrication. Inspect power steering lines and hoses for condition, attachment and routing and leaks. Check condition of all rubber boots and covers.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears and splits.
- ❑ Inspect exhaust system and adjacent underbody. Look for damaged, missing or misaligned parts, open seams, holes or loose connections. Run vehicle and check for exhaust leaks.
- ❑ Auto Load Levelling (if fitted). Change air filter.
- ❑ Clean and lubricate automatic transmission shift linkage.
- ❑ Inspect sunroof drain holes for blockage.
- ❑ Inspect oil pan for damaged, missing or misaligned parts and loose connections.
- ❑ (AWD) Check front & rear final drives, transfer case & auto trans for leaks.
- ❑ (AWD) Inspect sunroof front drain grommet for blockage.

Vehicle interior

- ❑ Check park brake operation.
- ❑ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ❑ Reset service reminder display.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Lubricate bonnet catch, door hinges and all lock cylinders.
- ❑ Check transmitter range of security system.
- ❑ (AWD) Inspect sunroof rear drain grommets for blockage. (Top corners of tailgate.)

Road Test

- ❑ Check for braking, steering, engine response and transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for, and complete, all relevant outstanding service campaigns and manufacturer recalls.

Service Validation
37 500 kms or 6 months since last service
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 37 500 km / 6 month service.
Servicing Dealer .....
Brake fluid changed: YES / NO Coolant changed: YES / NO
Clutch fluid changed YES / NO / N/A (Not Applicable)
Date of Service ..... Odometer .....
Signed .....
Additional services performed:
.....
.....
.....
.....

Service Coupon: 37 500 km or 6 months

*from the last major service (whichever occurs first) Only required for vehicles that are operated in extreme conditions.**

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants as listed:

- 0.4 hours labour

There will also be a charge for additional services as requested:
.....
.....
.....

Signature ..... Date .....

Note: If the owner of this vehicle has changed since the last service, refer to the change form in the introduction of your Owner's Handbook.

Under vehicle

- ❑ Inspect front and rear disc pads for wear.
- ❑ Check all brake hoses and pipes for condition, attachment and routing.
- ❑ Inspect steering system for damaged, loose or missing parts, signs of wear or lack of lubrication.
- ❑ Inspect ball joints and dust covers.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears and splits.
- ❑ Inspect light operation.

- ❑ Brake Fluid Change every 2 years (regardless of km)
- ❑ Clutch Fluid Change every 2 years (regardless of km)
- ❑ Coolant Change every 5 years (regardless of km)

*For applicable operating conditions , refer to page 2.

Service Validation
45 000 kms or
12 months
since last service
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 45 000 km / 12 month service.
Servicing Dealer .....
Brake fluid changed: YES / NO Coolant changed: YES / NO
Clutch fluid changed YES / NO / N/A (Not Applicable)
Date of Service ..... Odometer .....
Signed .....

Additional services performed:
.....
.....
.....
.....

Service Coupon: 45 000 km or 12 months
from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants as listed:

- 1.7 hours labour
- engine oil and engine oil filter
- air cleaner element
- fuel filter
- if brake fluid changed add 0.4 hour plus brake fluid
- if clutch fluid changed add 0.2 hour plus clutch fluid
- if engine coolant changed add 0.4 hour plus coolant

There will also be a charge for additional services as requested:
.....
.....
.....
Signature ..... Date .....

Note: If the owner of this vehicle has changed since the last service, refer to the change form in the introduction of your Owner's Handbook.

Under bonnet

- ❑ Change engine oil and engine oil filter.
- ❑ Replace air cleaner element.
- ❑ Check fluid levels: brake, power steering, clutch, automatic transmission and washer. Check coolant inhibitor % with tester and check level (pressure test if level low).
- ❑ Check accessory drive belt length and condition.
- ❑ Check battery electrolyte and fluid level.
- ❑ Check for signs of deterioration and/or leaks from engine, fluid reservoirs, air ducts, all hoses and clamps.

- ❑ Brake Fluid Change every 2 years (regardless of km)
- ❑ Clutch Fluid Change every 2 years (regardless of km)
- ❑ Coolant Change every 5 years (regardless of km)

Service items continue next page.

Under vehicle

- ❑ Replace fuel filter and retainer (external type).
- ❑ Check final drive and transmission for leaks.
- ❑ Check final drive oil level.
- ❑ Inspect front and rear disc pads for wear. Disc surface condition. Rotate and balance wheels.
- ❑ Inspect tyres for irregular wear and damage. Check tyre pressures. Check for damaged wheels.
- ❑ Check all brake and fuel pipes and hoses for condition, attachment and routing.
- ❑ Inspect front and rear suspension and steering system for damaged, loose or missing parts, signs of wear or lack of lubrication. Inspect power steering pipes and hoses for condition, attachment and routing and leaks.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears and splits.
- ❑ Inspect exhaust system and adjacent underbody. Look for damaged, missing or misaligned parts, open seams, holes or loose connections. Run vehicle and check for exhaust leaks.
- ❑ Auto Load Levelling (if fitted). Change air filter.
- ❑ Clean and lubricate automatic transmission shift linkage.
- ❑ Inspect sunroof drain holes for blockage.
- ❑ Check carbon canister for leaks or restrictions.
- ❑ Inspect A/C drain tubes for blockage.
- ❑ Inspect oil pan for damaged, missing or misaligned parts and loose connections.
- ❑ (AWD) Check front & rear final drive oil level.
- ❑ (AWD) Check front & rear final drives, transfer case & auto trans for leaks.
- ❑ (AWD) Inspect sunroof front drain grommet for blockage.

Vehicle interior

- ❑ Check park brake operation.
- ❑ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ❑ Reset service reminder display.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Lubricate bonnet catch, door hinges and all lock cylinders.
- ❑ Check transmitter range of security system.
- ❑ (AWD) Inspect sunroof rear drain grommets for blockage. (Top corners of tailgate.)

Road Test

- ❑ Check for braking, steering, engine response and transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for, and complete, all relevant outstanding service campaigns and manufacturer recalls.

Service Validation
52 500 kms or 6 months
since last service
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 52 500 km / 6 month service.
Servicing Dealer .....
Brake fluid changed: YES / NO Coolant changed: YES / NO
Clutch fluid changed YES / NO / N/A (Not Applicable)
Date of Service ..... Odometer .....
Signed .....

Additional services performed:
.....
.....
.....
.....

Service Coupon: 52 500 km or 6 months

*from the last major service (whichever occurs first) Only required for vehicles that are operated in extreme conditions.***

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants as listed:

- 0.4 hours labour

There will also be a charge for additional services as requested:
.....
.....
.....

Signature ..... Date .....

Note: If the owner of this vehicle has changed since the last service, refer to the change form in the introduction of your Owner's Handbook.

Under vehicle

- ❑ Inspect front and rear disc pads for wear.
- ❑ Check all brake hoses and pipes for condition, attachment and routing.
- ❑ Inspect steering system for damaged, loose or missing parts, signs of wear or lack of lubrication.
- ❑ Inspect ball joints and dust covers.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears and splits.
- ❑ Inspect light operation.

- ❑ Brake Fluid Change every 2 years (regardless of km)
- ❑ Clutch Fluid Change every 2 years (regardless of km)
- ❑ Coolant Change every 5 years (regardless of km)

*For applicable operating conditions , refer to page 2.

Service Validation
60 000 kms or
12 months
since last service
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 60 000 km / 12 month service.
Servicing Dealer .....
Brake fluid changed: YES / NO Coolant changed: YES / NO
Clutch fluid changed YES / NO / N/A (Not Applicable)
Date of Service ..... Odometer .....
Signed .....
Additional services performed:
.....
.....
.....

Service Coupon: 60 000 km or 12 months

from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants as listed:

- 1.2 hours labour
- engine oil and engine oil filter
- if brake fluid changed add 0.4 hour plus brake fluid
- if clutch fluid changed add 0.2 hour plus clutch fluid
- if engine coolant changed add 0.4 hour plus coolant

There will also be a charge for additional services as requested:
.....
.....
.....
Signature ..... Date .....

Note: If the owner of this vehicle has changed since the last service, refer to the change form in the introduction of your Owner's Handbook.

Under bonnet

- ❑ Change engine oil and engine oil filter.
- ❑ Check fluid levels: brake, power steering, clutch, automatic transmission and washer. Check coolant inhibitor % with tester and check level (pressure test if level low).
- ❑ Check accessory drive belt length and condition.
- ❑ Check battery electrolyte and fluid level.
- ❑ Check for signs of deterioration and/or leaks from engine, fluid reservoirs, air ducts, all hoses and clamps.

- ❑ Brake Fluid Change every 2 years (regardless of km)
- ❑ Clutch Fluid Change every 2 years (regardless of km)
- ❑ Coolant Change every 5 years (regardless of km)

Service items continue next page.

Under vehicle

- ❑ Check final drive and transmission for leaks.
- ❑ Inspect front and rear disc pads for wear. Disc surface condition. Rotate and balance wheels.
- ❑ Inspect tyres for irregular wear and damage. Check tyre pressures. Check for damaged wheels.
- ❑ Check all brake and fuel pipes and hoses for condition, attachment and routing.
- ❑ Inspect front and rear suspension and steering system for damaged, loose or missing parts, signs of wear or lack of lubrication. Inspect power steering pipes and hoses for condition, attachment and routing and leaks.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears and splits.
- ❑ Inspect exhaust system and adjacent underbody. Look for damaged, missing or misaligned parts, open seams, holes or loose connections. Run vehicle and check for exhaust leaks.
- ❑ Clean and lubricate automatic transmission shift linkage.
- ❑ Inspect sunroof drain holes for blockage.
- ❑ Inspect oil pan for damaged, missing or misaligned parts and loose connections.
- ❑ (AWD) Check front & rear final drives, transfer case & auto trans for leaks
- ❑ (AWD) Inspect sunroof front drain grommet for blockage.

Vehicle interior

- ❑ Check park brake operation.
- ❑ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ❑ Reset service reminder display.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Lubricate bonnet catch, door hinges and all lock cylinders.
- ❑ Check transmitter range of security system.
- ❑ (AWD) Inspect sunroof rear drain grommets for blockage. (Top corners of tailgate.)

Road Test

- ❑ Check for braking, steering, engine response and transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for, and complete, all relevant outstanding service campaigns and manufacturer recalls.

Service Validation
67 500 kms or 6 months
since last service
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 67 500 km / 6 month service.
Servicing Dealer .....
Brake fluid changed: YES / NO Coolant changed: YES / NO
Clutch fluid changed YES / NO / N/A (Not Applicable)
Date of Service ..... Odometer .....
Signed .....
Additional services performed:
.....
.....
.....

Service Coupon: 67 500 km or 6 months

*from the last major service (whichever occurs first) Only required for vehicles that are operated in extreme conditions.**

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants as listed:

- 0.4 hours labour

There will also be a charge for additional services as requested:
.....
.....
.....

Signature ..... Date .....

Note: If the owner of this vehicle has changed since the last service, refer to the change form in the introduction of your Owner's Handbook.

Under vehicle

- ❑ Inspect front and rear disc pads for wear.
- ❑ Check all brake hoses and pipes for condition, attachment and routing.
- ❑ Inspect steering system for damaged, loose or missing parts, signs of wear or lack of lubrication.
- ❑ Inspect ball joints and dust covers.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears and splits.
- ❑ Inspect light operation.

- ❑ Brake Fluid Change every 2 years (regardless of km)
- ❑ Clutch Fluid Change every 2 years (regardless of km)
- ❑ Coolant Change every 5 years (regardless of km)

*For applicable operating conditions , refer to page 2.

Service Validation
75 000 kms or
12 months
since last service
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 75 000 km / 12 month service.
Servicing Dealer .....
Brake fluid changed: YES / NO Coolant changed: YES / NO
Clutch fluid changed YES / NO / N/A (Not Applicable)
Date of Service
Signed .....
Additional services performed:
.....
.....
Odometer .....

Service Coupon: 75 000 km or 12 months
from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants as listed:

- 1.2 hours labour
- engine oil and engine oil filter
- if brake fluid changed add 0.4 hour plus brake fluid
- if clutch fluid changed add 0.2 hour plus clutch fluid
- if engine coolant changed add 0.4 hour plus coolant and coolant pellets

There will also be a charge for additional services as requested:
.....
.....
.....
Signature ..... Date .....

Note: If the owner of this vehicle has changed since the last service, refer to the change form in the introduction of your Owner's Handbook.

Under bonnet

- ❑ Change engine oil and engine oil filter.
- ❑ Check fluid levels: brake, power steering, clutch, automatic transmission and washer. Check coolant inhibitor % with tester and check level (pressure test if level low).
- ❑ Check accessory drive belt length and condition.
- ❑ Check battery electrolyte and fluid level.
- ❑ Check for signs of deterioration and/or leaks from engine, fluid reservoirs, air ducts, all hoses and clamps.

- ❑ Brake Fluid Change every 2 years (regardless of km)
- ❑ Clutch Fluid Change every 2 years (regardless of km)
- ❑ Coolant Change every 5 years (regardless of km)

Service items continue next page.

Under vehicle

- ❑ Check final drive and transmission for leaks.
- ❑ Inspect front and rear disc pads for wear. Disc surface condition. Rotate and balance wheels.
- ❑ Inspect tyres for irregular wear and damage. Check tyre pressures. Check for damaged wheels.
- ❑ Check all brake and fuel pipes and hoses for condition, attachment and routing.
- ❑ Inspect front and rear suspension and steering system for damaged, loose or missing parts, signs of wear or lack of lubrication. Inspect power steering pipes and hoses for condition, attachment and routing and leaks.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears and splits.
- ❑ Inspect exhaust system and adjacent underbody. Look for damaged, missing or misaligned parts, open seams, holes or loose connections. Run vehicle and check for exhaust leaks.
- ❑ Auto Load Levelling (if fitted). Change air filter.
- ❑ Clean and lubricate automatic transmission shift linkage.
- ❑ Inspect sunroof drain holes for blockage.
- ❑ Inspect oil pan for damaged, missing or misaligned parts and loose connections.
- ❑ (AWD) Check front & rear final drives, transfer case & auto trans for leaks.
- ❑ (AWD) Inspect sunroof front drain grommet for blockage.

Vehicle interior

- ❑ Check park brake operation.
- ❑ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ❑ Reset service reminder display.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Lubricate bonnet catch, door hinges and all lock cylinders.
- ❑ Check transmitter range of security system.
- ❑ (AWD) Inspect sunroof rear drain grommets for blockage. (Top corners of tailgate.)

Road Test

- ❑ Check for braking, steering, engine response and transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for, and complete, all relevant outstanding service campaigns and manufacturer recalls.

Service Validation
82 500 kms or 6 months
since last service
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 82 500 km / 6 month service.
Servicing Dealer .....
Brake fluid changed: YES / NO Coolant changed: YES / NO
Clutch fluid changed YES / NO / N/A (Not Applicable)
Date of Service ..... Odometer .....
Signed .....
Additional services performed:
.....
.....
.....

Service Coupon: 82 500 km or 6 months

from the last major service (whichever occurs first)
*Only required for vehicles that are operated in extreme conditions.**

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants as listed:

- 0.4 hours labour

There will also be a charge for additional services as requested:
.....
.....
.....

Signature ..... Date .....

Note: If the owner of this vehicle has changed since the last service, refer to the change form in the introduction of your Owner's Handbook.

Under vehicle

- ❑ Inspect front and rear disc pads for wear.
- ❑ Check all brake hoses and pipes for condition, attachment and routing.
- ❑ Inspect steering system for damaged, loose or missing parts, signs of wear or lack of lubrication.
- ❑ Inspect ball joints and dust covers.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears and splits.
- ❑ Inspect light operation.

- ❑ Brake Fluid Change every 2 years (regardless of km)
- ❑ Clutch Fluid Change every 2 years (regardless of km)
- ❑ Coolant Change every 5 years (regardless of km)

*For applicable operating conditions , refer to page 2.

Service Validation
90 000 kms or
12 months
since last service
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 90 000 km / 12 month service.
Servicing Dealer ..... Additional services performed:
Brake fluid changed: YES / NO Coolant changed: YES / NO .....
Clutch fluid changed YES / NO / N/A (Not Applicable) .....
Date of Service ..... Odometer ....
Signed .....

Service Coupon: 90 000 km or 12 months
from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants as listed:

- 1.2 hours labour
- engine oil and engine oil filter
- air cleaner element
- fuel filter
- auto load level air filter (if fitted)
- if brake fluid changed add 0.4 hour plus brake fluid
- if clutch fluid changed add 0.2 hour plus clutch fluid
- if engine coolant changed add 0.4 hour plus coolant

There will also be a charge for additional services as requested:
.....
.....
.....
Signature ..... Date .....

Note: If the owner of this vehicle has changed since the last service, refer to the change form in the introduction of your Owner's Handbook.

Under bonnet

- ❑ Change engine oil and engine oil filter.
- ❑ Replace air cleaner element.
- ❑ Replace spark plugs.
- ❑ Check fluid levels: brake, power steering, clutch, automatic transmission and washer. Check coolant inhibitor % with tester and check level (pressure test if level low).
- ❑ Check accessory drive belt length and condition.
- ❑ Check battery electrolyte and fluid level.
- ❑ Check for signs of deterioration and/or leaks from engine, fluid reservoirs, air ducts, all hoses and clamps.

- ❑ Brake Fluid Change every 2 years (regardless of km)
- ❑ Clutch Fluid Change every 2 years (regardless of km)
- ❑ Coolant Change every 5 years (regardless of km)

Service items continue next page.

Under vehicle

- ❑ Replace fuel filter and retainer (external type).
- ❑ Check final drive and transmission for leaks.
- ❑ Check final drive oil level.
- ❑ Inspect front and rear disc pads for wear. Disc surface condition. Rotate and balance wheels.
- ❑ Inspect tyres for irregular wear and damage. Check tyre pressures. Check for damaged wheels.
- ❑ Check all brake and fuel pipes and hoses for condition, attachment and routing.
- ❑ Inspect front and rear suspension and steering system for damaged, loose or missing parts, signs of wear or lack of lubrication. Inspect power steering pipes and hoses for condition, attachment and routing and leaks.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears and splits.
- ❑ Inspect exhaust system and adjacent underbody. Look for damaged, missing or misaligned parts, open seams, holes or loose connections. Run vehicle and check for exhaust leaks.
- ❑ Auto Load Levelling (if fitted). Change air filter.
- ❑ Clean and lubricate automatic transmission shift linkage.
- ❑ Inspect sunroof drain holes for blockage.
- ❑ Check carbon canister for leaks or restrictions.
- ❑ Inspect A/C drain tubes for blockage.
- ❑ Inspect oil pan for damaged, missing or misaligned parts and loose connections.
- ❑ (AWD) Check front & rear final drive oil level.
- ❑ (AWD) Check front & rear final drives, transfer case & auto trans for leaks.
- ❑ (AWD) Inspect sunroof front drain grommet for blockage.

Vehicle interior

- ❑ Check park brake operation.
- ❑ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ❑ Reset service reminder display.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Lubricate bonnet catch, door hinges and all lock cylinders.
- ❑ Check transmitter range of security system.
- ❑ (AWD) Inspect sunroof rear drain grommets for blockage. (Top corners of tailgate.)

Road Test

- ❑ Check for braking, steering, engine response and transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for, and complete, all relevant outstanding service campaigns and

Service Validation
97 500 kms or 6 months
since last service
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 97 500 km / 6 month service.
Servicing Dealer .....
Brake fluid changed: YES / NO Coolant changed: YES / NO
Clutch fluid changed YES / NO / N/A (Not Applicable)
Date of Service ..... Odometer .....
Signed .....

Additional services performed:
.....
.....
.....

Service Coupon: 97 500 km or 6 months

*from the last major service (whichever occurs first) Only required for vehicles that are operated in extreme conditions.**

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants as listed:

- 0.4 hours labour

There will also be a charge for additional services as requested:
.....
.....
.....

Signature ..... Date .....

Note: If the owner of this vehicle has changed since the last service, refer to the change form in the introduction of your Owner's Handbook.

Under vehicle

- ❑ Inspect front and rear disc pads for wear.
- ❑ Check all brake hoses and pipes for condition, attachment and routing.
- ❑ Inspect steering system for damaged, loose or missing parts, signs of wear or lack of lubrication.
- ❑ Inspect ball joints and dust covers.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears and splits.
- ❑ Inspect light operation.

- ❑ Brake Fluid Change every 2 years (regardless of km)
- ❑ Clutch Fluid Change every 2 years (regardless of km)
- ❑ Coolant Change every 5 years (regardless of km)

*For applicable operating conditions , refer to page 2.

Service Validation
105 000 kms or
12 months
since last service
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 105 000 km / 12 month service.
Servicing Dealer ..... Additional services performed:
Brake fluid changed: YES / NO Coolant changed: YES / NO .....
Clutch fluid changed YES / NO / N/A (Not Applicable) .....
Date of Service ..... Odometer ....
Signed .....

Service Coupon: 105 000 km or 12 months
from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants as listed:

- 1.2 hours labour
- engine oil and engine oil filter
- automatic transmission fluid & gasket
- if brake fluid changed add 0.4 hour plus brake fluid
- if clutch fluid changed add 0.2 hour plus clutch fluid
- if engine coolant changed add 0.4 hour plus coolant
- If auto transmission add 0.3 hour labour

There will also be a charge for additional services as requested:
.....
.....
.....
Signature ..... Date .....

Note: If the owner of this vehicle has changed since the last service, refer to the change form in the introduction of your Owner's Handbook.

Under bonnet

- ❑ Change engine oil and engine oil filter.
- ❑ Check fluid levels: brake, power steering, clutch, automatic transmission and washer. Check coolant inhibitor % with tester and check level (pressure test if level low).
- ❑ Check accessory drive belt length and condition.
- ❑ Check battery electrolyte and fluid level.
- ❑ Check for signs of deterioration and/or leaks from engine, fluid reservoirs, air ducts, all hoses and clamps.

- ❑ Brake Fluid Change every 2 years (regardless of km)
- ❑ Clutch Fluid Change every 2 years (regardless of km)
- ❑ Coolant Change every 5 years (regardless of km)

Service items continue next page.

Under vehicle

- ❑ Check final drive and transmission for leaks.
- ❑ Inspect front and rear disc pads for wear. Disc surface condition. Rotate and balance wheels.
- ❑ Inspect tyres for irregular wear and damage. Check tyre pressures. Check for damaged wheels.
- ❑ Check all brake and fuel pipes and hoses for condition, attachment and routing.
- ❑ Change auto trans fluid & gasket (4spd.)
- ❑ Inspect front and rear suspension and steering system for damaged, loose or missing parts, signs of wear or lack of lubrication. Inspect power steering pipes and hoses for condition, attachment and routing and leaks.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears and splits.
- ❑ Inspect exhaust system and adjacent underbody. Look for damaged, missing or misaligned parts, open seams, holes or loose connections. Run vehicle and check for exhaust leaks.
- ❑ Auto Load Levelling (if fitted). Change air filter.
- ❑ Clean and lubricate automatic transmission shift linkage.
- ❑ Inspect sunroof drain holes for blockage.
- ❑ Inspect oil pan for damaged, missing or misaligned parts and loose connections.
- ❑ (AWD) Check front & rear final drives, transfer case & auto trans for leaks.
- ❑ (AWD) Inspect sunroof front drain grommet for blockage.

Vehicle interior

- ❑ Check park brake operation.
- ❑ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ❑ Reset service reminder display.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Lubricate bonnet catch, door hinges and all lock cylinders.
- ❑ Check transmitter range of security system.
- ❑ (AWD) Inspect sunroof rear drain grommets for blockage. (Top corners of tailgate.)

Road Test

- ❑ Check for braking, steering, engine response and transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for, and complete, all relevant outstanding service campaigns and manufacturer recalls.

Service Validation
112 500 kms or
6 months
since last service
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 112 500 km / 6 month service.
Servicing Dealer ..... Additional services performed:
Brake fluid changed: YES / NO Coolant changed: YES / NO .....
Clutch fluid changed YES / NO / N/A (Not Applicable) .....
Date of Service ..... Odometer ....
Signed .....

Service Coupon: 112 500 km or 6 months

*from the last major service (whichever occurs first) Only required for vehicles that are operated in extreme conditions.**

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants as listed:

- 0.4 hours labour

There will also be a charge for additional services as requested:
.....
.....
.....

Signature ..... Date .....

Note: If the owner of this vehicle has changed since the last service, refer to the change form in the introduction of your Owner's Handbook.

Under vehicle

- ❑ Inspect front and rear disc pads for wear.
- ❑ Check all brake hoses and pipes for condition, attachment and routing.
- ❑ Inspect steering system for damaged, loose or missing parts, signs of wear or lack of lubrication.
- ❑ Inspect ball joints and dust covers.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears and splits.
- ❑ Inspect light operation.

- ❑ Brake Fluid Change every 2 years (regardless of km)
- ❑ Clutch Fluid Change every 2 years (regardless of km)
- ❑ Coolant Change every 5 years (regardless of km)

*For applicable operating conditions , refer to page 2.

Service Validation
120 000 kms or 12 months since last service
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 120 000 km / 12 month service.
Servicing Dealer .....
Brake fluid changed: YES / NO Coolant changed: YES / NO
Clutch fluid changed YES / NO / N/A (Not Applicable)
Date of Service ..... Odometer .....
Signed .....
Additional services performed:
.....
.....
.....

***Service Coupon*: 120 000 km or 12 months**
from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants as listed:

- 1.5 hours labour
- engine oil and engine oil filter
- spark plugs
- if brake fluid changed add 0.4 hour plus brake fluid
- if clutch fluid changed add 0.2 hour plus clutch fluid
- if engine coolant changed add 0.4 hour plus coolant

There will also be a charge for additional services as requested:
.....
.....
Signature ..... Date .....

Note: If the owner of this vehicle has changed since the last service, refer to the change form in the introduction of your Owner's Handbook.

Under bonnet

- ❑ Change engine oil and engine oil filter.
- ❑ Check fluid levels: brake, power steering, clutch, automatic transmission and washer. Check coolant inhibitor % with tester and check level (pressure test if level low).
- ❑ Check accessory drive belt length and condition.
- ❑ Check battery electrolyte and fluid level.
- ❑ Check for signs of deterioration and/or leaks from engine, fluid reservoirs, air ducts, all hoses and clamps.

- ❑ Brake Fluid Change every 2 years (regardless of km)
- ❑ Clutch Fluid Change every 2 years (regardless of km)
- ❑ Coolant Change every 5 years (regardless of km)

Service items continue next page.

Under vehicle

- ❑ Check final drive and transmission for leaks.
- ❑ Inspect front and rear disc pads for wear. Disc surface condition. Rotate and balance wheels.
- ❑ Inspect tyres for irregular wear and damage. Check tyre pressures. Check for damaged wheels.
- ❑ Check all brake and fuel pipes and hoses for condition, attachment and routing.
- ❑ Inspect front and rear suspension and steering system for damaged, loose or missing parts, signs of wear or lack of lubrication. Inspect power steering pipes and hoses for condition, attachment and routing and leaks.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears and splits.
- ❑ Inspect exhaust system and adjacent underbody. Look for damaged, missing or misaligned parts, open seams, holes or loose connections. Run vehicle and check for exhaust leaks.
- ❑ Auto Load Levelling (if fitted). Change air filter.
- ❑ Clean and lubricate automatic transmission shift linkage.
- ❑ Inspect sunroof drain holes for blockage.
- ❑ Inspect oil pan for damaged, missing or misaligned parts and loose connections.
- ❑ (AWD) Check front & rear final drives, transfer case & auto trans for leaks.
- ❑ (AWD) Inspect sunroof front drain grommet for blockage.

Vehicle interior

- ❑ Check park brake operation.
- ❑ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ❑ Reset service reminder display.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Lubricate bonnet catch, door hinges and all lock cylinders.
- ❑ Check transmitter range of security system.
- ❑ (AWD) Inspect sunroof rear drain grommets for blockage. (Top corners of tailgate.)

Road Test

- ❑ Check for braking, steering, engine response and transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for, and complete, all relevant outstanding service campaigns and manufacturer recalls.

Service Validation
127 500 kms or
6 months
since last service
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 127 500 km / 6 month service.
Servicing Dealer .....
Brake fluid changed: YES / NO Coolant changed: YES / NO
Clutch fluid changed YES / NO / N/A (Not Applicable)
Date of Service ..... Odometer .....
Signed .....

Additional services performed:
.....
.....
.....
.....

Service Coupon: 127 500 km or 6 months

from the last major service (whichever occurs first)
*Only required for vehicles that are operated in extreme conditions.**

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants as listed:

- 0.4 hours labour

There will also be a charge for additional services as requested:
.....
.....
.....

Signature ..... Date .....

Note: If the owner of this vehicle has changed since the last service, refer to the change form in the introduction of your Owner's Handbook.

Under vehicle

- ❑ Inspect front and rear disc pads for wear.
- ❑ Check all brake hoses and pipes for condition, attachment and routing.
- ❑ Inspect steering system for damaged, loose or missing parts, signs of wear or lack of lubrication.
- ❑ Inspect ball joints and dust covers.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears and splits.
- ❑ Inspect light operation.

- ❑ Brake Fluid Change every 2 years (regardless of km)
- ❑ Clutch Fluid Change every 2 years (regardless of km)
- ❑ Coolant Change every 5 years (regardless of km)

*For applicable operating conditions , refer to page 2.

Service Validation
135 000 kms or 12 months since last service (whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 135 000 km / 12 month service.
Servicing Dealer .....
Brake fluid changed: YES / NO Coolant changed: YES / NO
Clutch fluid changed YES / NO / N/A (Not Applicable)
Date of Service ..... Odometer .....
Signed .....

Additional services performed:
.....
.....
.....
.....

Service Coupon: 135 000 km or 12 months
from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants as listed:

- 1.7 hours labour
- engine oil and engine oil filter
- air cleaner element
- fuel filter
- if brake fluid changed add 0.4 hour plus brake fluid
- if clutch fluid changed add 0.2 hour plus clutch fluid
- if engine coolant changed add 0.4 hour plus coolant

There will also be a charge for additional services as requested:
.....
.....
.....
Signature ..... Date .....

Note: If the owner of this vehicle has changed since the last service, refer to the change form in the introduction of your Owner's Handbook.

Under bonnet

- ❑ Change engine oil and engine oil filter.
- ❑ Check fluid levels: brake, power steering, clutch, automatic transmission and washer. Check coolant inhibitor % with tester and check level (pressure test if level low).
- ❑ Check accessory drive belt length and condition.
- ❑ Check battery electrolyte and fluid level.
- ❑ Check for signs of deterioration and/or leaks from engine, fluid reservoirs, air ducts, all hoses and clamps.

- ❑ Brake Fluid Change every 2 years (regardless of km)
- ❑ Clutch Fluid Change every 2 years (regardless of km)
- ❑ Coolant Change every 5 years (regardless of km)

Service items continue next page.

Under vehicle

- ❑ Replace fuel filter and retainer (external type).
- ❑ Check final drive and transmission for leaks.
- ❑ Check final drive oil level.
- ❑ Inspect front and rear disc pads for wear. Disc surface condition. Rotate and balance wheels.
- ❑ Inspect tyres for irregular wear and damage. Check tyre pressures. Check for damaged wheels.
- ❑ Check all brake and fuel pipes and hoses for condition, attachment and routing.
- ❑ Inspect front and rear suspension and steering system for damaged, loose or missing parts, signs of wear or lack of lubrication. Inspect power steering pipes and hoses for condition, attachment and routing and leaks.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears and splits.
- ❑ Inspect exhaust system and adjacent underbody. Look for damaged, missing or misaligned parts, open seams, holes or loose connections. Run vehicle and check for exhaust leaks.
- ❑ Auto Load Levelling (if fitted). Change air filter.
- ❑ Clean and lubricate automatic transmission shift linkage.
- ❑ Inspect sunroof drain holes for blockage.
- ❑ Check carbon canister for leaks or restrictions.
- ❑ Inspect A/C drain tubes for blockage.
- ❑ Inspect oil pan for damaged, missing or misaligned parts and loose connections.
- ❑ (AWD) Check front & rear final drive oil level.
- ❑ (AWD) Check front & rear final drives, transfer case & auto trans for leaks.
- ❑ (AWD) Inspect sunroof front drain grommet for blockage.

Vehicle interior

- ❑ Check park brake operation.
- ❑ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ❑ Reset service reminder display.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Lubricate bonnet catch, door hinges and all lock cylinders.
- ❑ Check transmitter range of security system.
- ❑ (AWD) Inspect sunroof rear drain grommets for blockage. (Top corners of tailgate.)

Road Test

- ❑ Check for braking, steering, engine response and transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for, and complete, all relevant outstanding service campaigns and manufacturer recalls.

Service Validation
142 500 kms or
6 months
since last service
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 142 500 km / 6 month service.
Servicing Dealer .....
Brake fluid changed: YES / NO Coolant changed: YES / NO
Clutch fluid changed YES / NO / N/A (Not Applicable)
Date of Service ..... Odometer .....
Signed .....
Additional services performed:
.....
.....
.....

Service Coupon: 142 500 km or 6 months

from the last major service (whichever occurs first)
*Only required for vehicles that are operated in extreme conditions.**

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants as listed:

- 0.4 hours labour

There will also be a charge for additional services as requested:
.....
.....
.....
Signature ..... Date .....

Note: If the owner of this vehicle has changed since the last service, refer to the change form in the introduction of your Owner's Handbook.

Under vehicle

- ❑ Inspect front and rear disc pads for wear.
- ❑ Check all brake hoses and pipes for condition, attachment and routing.
- ❑ Inspect steering system for damaged, loose or missing parts, signs of wear or lack of lubrication.
- ❑ Inspect ball joints and dust covers.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears and splits.
- ❑ Inspect light operation.

- ❑ Brake Fluid Change every 2 years (regardless of km)
- ❑ Clutch Fluid Change every 2 years (regardless of km)
- ❑ Coolant Change every 5 years (regardless of km)

*For applicable operating conditions , refer to page 2.

Service Validation
150 000 kms or
12 months
since last service
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 150 000 km / 12 month service.
Servicing Dealer .....
Brake fluid changed: YES / NO Coolant changed: YES / NO
Clutch fluid changed YES / NO / N/A (Not Applicable)
Date of Service ..... Odometer .....
Signed .....

Additional services performed:
.....
.....
.....

Service Coupon: 150 000 km or 12 months
from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants as listed:

- 1.2 hours labour
- engine oil and engine oil filter
- automatic transmission filter & fluid
- if brake fluid changed add 0.4 hour plus brake fluid
- if clutch fluid changed add 0.2 hour plus clutch fluid
- if engine coolant changed add 0.4 hour plus coolant
- If auto transmission add 0.3 hour labour

There will also be a charge for additional services as requested:
.....
.....
.....
Signature ..... Date .....

Note: If the owner of this vehicle has changed since the last service, refer to the change form in the introduction of your Owner's Handbook.

Under vehicle

- ❑ Inspect front and rear disc pads for wear.
- ❑ Check all brake hoses and pipes for condition, attachment and routing.
- ❑ Inspect steering system for damaged, loose or missing parts, signs of wear or lack of lubrication.
- ❑ Inspect ball joints and dust covers.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears and splits.
- ❑ Inspect light operation.

- ❑ Brake Fluid Change every 2 years (regardless of km)
- ❑ Clutch Fluid Change every 2 years (regardless of km)
- ❑ Coolant Change every 5 years (regardless of km)

Service items continue next page.

Under vehicle

- ❑ Check final drive and transmission for leaks.
- ❑ Inspect front and rear disc pads for wear. Disc surface condition. Rotate and balance wheels.
- ❑ Inspect tyres for irregular wear and damage. Check tyre pressures. Check for damaged wheels.
- ❑ Check all brake and fuel pipes and hoses for condition, attachment and routing.
- ❑ Change auto trans filter & fluid (5spd.)
- ❑ Inspect front and rear suspension and steering system for damaged, loose or missing parts, signs of wear or lack of lubrication. Inspect power steering pipes and hoses for condition, attachment and routing and leaks.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears and splits.
- ❑ Inspect exhaust system and adjacent underbody. Look for damaged, missing or misaligned parts, open seams, holes or loose connections. Run vehicle and check for exhaust leaks.
- ❑ Auto Load Levelling (if fitted). Change air filter.
- ❑ Clean and lubricate automatic transmission shift linkage.
- ❑ Inspect sunroof drain holes for blockage.
- ❑ Inspect oil pan for damaged, missing or misaligned parts and loose connections.
- ❑ (AWD) Check front & rear final drives, transfer case & auto trans for leaks.
- ❑ (AWD) Inspect sunroof front drain grommet for blockage.

Vehicle interior

- ❑ Check park brake operation.
- ❑ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ❑ Reset service reminder display.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Lubricate bonnet catch, door hinges and all lock cylinders.
- ❑ Check transmitter range of security system.
- ❑ (AWD) Inspect sunroof rear drain grommets for blockage. (Top corners of tailgate.)

Road Test

- ❑ Check for braking, steering, engine response and transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for, and complete, all relevant outstanding service campaigns and manufacturer recalls.

Service Validation
157 500 kms or
6 months
since last service
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 157 500 km / 6 month service.
Servicing Dealer .....
Brake fluid changed: YES / NO Coolant changed: YES / NO
Clutch fluid changed YES / NO / N/A (Not Applicable)
Date of Service ..... Odometer .....
Signed .....
Additional services performed:
.....
.....
.....

Service Coupon: 157 500 km or 6 months

from the last major service (whichever occurs first)
*Only required for vehicles that are operated in extreme conditions.**

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants as listed:

- 0.4 hours labour

There will also be a charge for additional services as requested:
.....
.....
.....

Signature ..... Date .....

Note: If the owner of this vehicle has changed since the last service, refer to the change form in the introduction of your Owner's Handbook.

Under vehicle

- ❑ Inspect front and rear disc pads for wear.
- ❑ Check all brake hoses and pipes for condition, attachment and routing.
- ❑ Inspect steering system for damaged, loose or missing parts, signs of wear or lack of lubrication.
- ❑ Inspect ball joints and dust covers.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears and splits.
- ❑ Inspect light operation.

- ❑ Brake Fluid Change every 2 years (regardless of km)
- ❑ Clutch Fluid Change every 2 years (regardless of km)
- ❑ Coolant Change every 5 years (regardless of km)

*For applicable operating conditions , refer to page 2.

Service Validation
165 000 kms or
12 months
since last service
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 165 000 km / 12 month service.
Servicing Dealer .....
Brake fluid changed: YES / NO Coolant changed: YES / NO
Clutch fluid changed YES / NO / N/A (Not Applicable)
Date of Service ..... Odometer .....
Signed .....
Additional services performed:
.....
.....
.....

Service Coupon: 165 000 km or 12 months
from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants as listed:

- 1.2 hours labour
- engine oil and engine oil filter
- if AWD change final drive oil add 0.2 hours plus oil
- if brake fluid changed add 0.4 hour plus brake fluid
- if clutch fluid changed add 0.2 hour plus clutch fluid
- if engine coolant changed add 0.4 hour plus coolant

There will also be a charge for additional services as requested:
.....
.....
Signature ..... Date .....

Note: If the owner of this vehicle has changed since the last service, refer to the change form in the introduction of your Owner's Handbook.

Under bonnet

- ❑ Change engine oil and engine oil filter.
- ❑ Check fluid levels: brake, power steering, clutch, automatic transmission and washer. Check coolant inhibitor % with tester and check level (pressure test if level low).
- ❑ Check accessory drive belt length and condition.
- ❑ Check battery electrolyte and fluid level.
- ❑ Check for signs of deterioration and/or leaks from engine, fluid reservoirs,

- ❑ Brake Fluid Change every 2 years (regardless of km)
- ❑ Clutch Fluid Change every 2 years (regardless of km)
- ❑ Coolant Change every 5 years (regardless of km)

Service items continue next page.

Under vehicle

- ❑ Check final drive and transmission for leaks.
- ❑ Inspect front and rear disc pads for wear. Disc surface condition. Rotate and balance wheels.
- ❑ Inspect tyres for irregular wear and damage. Check tyre pressures. Check for damaged wheels.
- ❑ Check all brake and fuel pipes and hoses for condition, attachment and routing.
- ❑ Inspect front and rear suspension and steering system for damaged, loose or missing parts, signs of wear or lack of lubrication. Inspect power steering pipes and hoses for condition, attachment and routing and leaks.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears and splits.
- ❑ Inspect exhaust system and adjacent underbody. Look for damaged, missing or misaligned parts, open seams, holes or loose connections. Run vehicle and check for exhaust leaks.
- ❑ Auto Load Levelling (if fitted). Change air filter.
- ❑ Clean and lubricate automatic transmission shift linkage.
- ❑ Inspect sunroof drain holes for blockage.
- ❑ Inspect oil pan for damaged, missing or misaligned parts and loose connections.
- ❑ (AWD) Change final drive oil. (Includes front, rear & transfer case oil.)
- ❑ (AWD) Check front & rear final drives, transfer case & auto trans for leaks.
- ❑ (AWD) Inspect sunroof front drain grommet for blockage.

Vehicle interior

- ❑ Check park brake operation.
- ❑ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ❑ Reset service reminder display.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Lubricate bonnet catch, door hinges and all lock cylinders.
- ❑ Check transmitter range of security system.
- ❑ (AWD) Inspect sunroof rear drain grommets for blockage. (Top corners of tailgate.)

Road Test

- ❑ Check for braking, steering, engine response and transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for, and complete, all relevant outstanding service campaigns and manufacturer recalls.

Service Validation
172 500 kms or
6 months
since last service
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 172 500 km / 6 month service.
Servicing Dealer .....
Brake fluid changed: YES / NO Coolant changed: YES / NO
Clutch fluid changed YES / NO / N/A (Not Applicable)
Date of Service ..... Odometer .....
Signed .....
Additional services performed:
.....
.....
.....

Service Coupon: 172 500 km or 6 months

from the last major service (whichever occurs first)
*Only required for vehicles that are operated in extreme conditions.**

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants as listed:

- 0.4 hours labour

There will also be a charge for additional services as requested:
.....
.....
.....
Signature ..... Date .....

Note: If the owner of this vehicle has changed since the last service, refer to the change form in the introduction of your Owner's Handbook.

Under vehicle

- ❑ Inspect front and rear disc pads for wear.
- ❑ Check all brake hoses and pipes for condition, attachment and routing.
- ❑ Inspect steering system for damaged, loose or missing parts, signs of wear or lack of lubrication.
- ❑ Inspect ball joints and dust covers.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears and splits.
- ❑ Inspect light operation.

- ❑ Brake Fluid Change every 2 years (regardless of km)
- ❑ Clutch Fluid Change every 2 years (regardless of km)
- ❑ Coolant Change every 5 years (regardless of km)

*For applicable operating conditions , refer to page 2.

Service Validation
180 000 kms or
12 months
since last service
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 180 000 km / 12 month service.
Servicing Dealer .....
Brake fluid changed: YES / NO Coolant changed: YES / NO
Clutch fluid changed YES / NO / N/A (Not Applicable)
Date of Service ..... Odometer .....
Signed .....
Additional services performed:
.....
.....
.....
.....

Service Coupon: 180 000 km or 12 months
from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants as listed:

- 1.2 hours labour
- engine oil and engine oil filter
- air cleaner element
- fuel filter
- auto load level air filter (if fitted)
- if brake fluid changed add 0.4 hour plus brake fluid
- if clutch fluid changed add 0.2 hour plus clutch fluid
- if engine coolant changed add 0.4 hour plus coolant

There will also be a charge for additional services as requested:
.....
.....
Signature ..... Date .....

Note: If the owner of this vehicle has changed since the last service, refer to the change form in the introduction of your Owner's Handbook.

Under bonnet

- ❑ Change engine oil and engine oil filter.
- ❑ Replace air cleaner element.
- ❑ Check fluid levels: brake, power steering, clutch, automatic transmission and washer. Check coolant inhibitor % with tester and check level (pressure test if level low).
- ❑ Check accessory drive belt length and condition.
- ❑ Check battery electrolyte and fluid level.
- ❑ Check for signs of deterioration and/or leaks from engine, fluid reservoirs,

- ❑ Brake Fluid Change every 2 years (regardless of km)
- ❑ Clutch Fluid Change every 2 years (regardless of km)
- ❑ Coolant Change every 5 years (regardless of km)

Service items continue next page.

Under vehicle

- ❑ Replace fuel filter and retainer (external type).
- ❑ Check final drive and transmission for leaks.
- ❑ Check final drive oil level.
- ❑ Inspect front and rear disc pads for wear. Disc surface condition. Rotate and balance wheels.
- ❑ Inspect tyres for irregular wear and damage. Check tyre pressures. Check for damaged wheels.
- ❑ Check all brake and fuel pipes and hoses for condition, attachment and routing.
- ❑ Inspect front and rear suspension and steering system for damaged, loose or missing parts, signs of wear or lack of lubrication. Inspect power steering pipes and hoses for condition, attachment and routing and leaks.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears and splits.
- ❑ Inspect exhaust system and adjacent underbody. Look for damaged, missing or misaligned parts, open seams, holes or loose connections. Run vehicle and check for exhaust leaks.
- ❑ Auto Load Levelling (if fitted). Change air filter.
- ❑ Clean and lubricate automatic transmission shift linkage.
- ❑ Inspect sunroof drain holes for blockage.
- ❑ Check carbon canister for leaks or restrictions.
- ❑ Inspect A/C drain tubes for blockage.
- ❑ Inspect oil pan for damaged, missing or misaligned parts and loose connections.
- ❑ (AWD) Check front & rear final drive oil level.
- ❑ (AWD) Check front & rear final drives, transfer case & auto trans for leaks.
- ❑ (AWD) Inspect sunroof front drain grommet for blockage.

Vehicle interior

- ❑ Check park brake operation.
- ❑ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ❑ Reset service reminder display.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Lubricate bonnet catch, door hinges and all lock cylinders.
- ❑ Check transmitter range of security system.
- ❑ (AWD) Inspect sunroof rear drain grommets for blockage. (Top corners of tailgate.)

Road Test

- ❑ Check for braking, steering, engine response and transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for, and complete, all relevant outstanding service campaigns and manufacturer recalls.

Service Validation
187 500 kms or
6 months
since last service
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 187 500 km / 6 month service.
Servicing Dealer .....
Brake fluid changed: YES / NO Coolant changed: YES / NO
Clutch fluid changed YES / NO / N/A (Not Applicable)
Date of Service ..... Odometer .....
Signed .....
Additional services performed:
.....
.....
.....
.....

Service Coupon: 187 500 km or 6 months

from the last major service (whichever occurs first)
*Only required for vehicles that are operated in extreme conditions.**

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants as listed:

- 0.4 hours labour

There will also be a charge for additional services as requested:
.....
.....
.....

Signature ..... Date .....

Note: If the owner of this vehicle has changed since the last service, refer to the change form in the introduction of your Owner's Handbook.

Under vehicle

- ❑ Inspect front and rear disc pads for wear.
- ❑ Check all brake hoses and pipes for condition, attachment and routing.
- ❑ Inspect steering system for damaged, loose or missing parts, signs of wear or lack of lubrication.
- ❑ Inspect ball joints and dust covers.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears and splits.
- ❑ Inspect light operation.

- ❑ Brake Fluid Change every 2 years (regardless of km)
- ❑ Clutch Fluid Change every 2 years (regardless of km)
- ❑ Coolant Change every 5 years (regardless of km)

*For applicable operating conditions , refer to page 2.

Service Valiation 190 000 kms or 12 months since last service (whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 190 000 km / 12 month service.
Servicing Dealer .....
Brake fluid changed: YES / NO Coolant changed: YES / NO
Clutch fluid changed YES / NO / N/A (Not Applicable)
Date of Service ..... Odometer .....
Signed .....
Additional services performed:
.....
.....
.....

Service Coupon: 190 000 km or 12 months

from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants as listed:

- 1.2 hours labour
- engine oil and engine oil filter
- if brake fluid changed add 0.4 hour plus brake fluid
- if clutch fluid changed add 0.2 hour plus clutch fluid
- if engine coolant changed add 0.4 hour plus coolant

There will also be a charge for additional services as requested:
.....
.....
.....
Signature ..... Date .....

Note: If the owner of this vehicle has changed since the last service, refer to the change form in the introduction of your Owner's Handbook.

Underbonnet

- ❑ Change engine oil and engine oil filter.
- ❑ Check fluid levels: brake, power steering, clutch, automatic transmission and washer. Check coolant inhibitor % with tester and check level (pressure test if level low).
- ❑ Check accessory drive belt length and condition.
- ❑ Check battery electrolyte and fluid level.
- ❑ Check for signs of deterioration and/or leaks from engine, fluid reservoirs,

- ❑ Brake Fluid Change every 2 years (regardless of km)
- ❑ Clutch Fluid Change every 2 years (regardless of km)
- ❑ Coolant Change every 5 years (regardless of km)

Service items continue next page.

Under vehicle

- ❑ Check final drive and transmission for leaks.
- ❑ Inspect front and rear disc pads for wear. Disc surface condition. Rotate and balance wheels.
- ❑ Inspect tyres for irregular wear and damage. Check tyre pressures. Check for damaged wheels.
- ❑ Check all brake and fuel pipes and hoses for condition, attachment and routing.
- ❑ Inspect front and rear suspension and steering system for damaged, loose or missing parts, signs of wear or lack of lubrication. Inspect power steering pipes and hoses for condition, attachment and routing and leaks.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears and splits.
- ❑ Inspect exhaust system and adjacent underbody. Look for damaged, missing or misaligned parts, open seams, holes or loose connections. Run vehicle and check for exhaust leaks.
- ❑ Auto Load Levelling (if fitted). Change air filter.
- ❑ Clean and lubricate automatic transmission shift linkage.
- ❑ Inspect sunroof drain holes for blockage.
- ❑ Inspect oil pan for damaged, missing or misaligned parts and loose connections.
- ❑ (AWD) Check front & rear final drives, transfer case & auto trans for leaks.
- ❑ (AWD) Inspect sunroof front drain grommet for blockage.

Vehicle interior

- ❑ Check park brake operation.
- ❑ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ❑ Reset service reminder display.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Lubricate bonnet catch, door hinges and all lock cylinders.
- ❑ Check transmitter range of security system.
- ❑ (AWD) Inspect sunroof rear drain grommets for blockage. (Top corners of tailgate.)

Road Test

- ❑ Check for braking, steering, engine response and transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for, and complete, all relevant outstanding service campaigns and manufacturer recalls.

Service Validation
202 500 kms or
6 months
since last service
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 202 500 km / 6 month service.
Servicing Dealer .....
Brake fluid changed: YES / NO Coolant changed: YES / NO
Clutch fluid changed YES / NO / N/A (Not Applicable)
Date of Service ..... Odometer .....
Signed .....
Additional services performed:
.....
.....
.....
.....

Service Coupon: 202 500 km or 6 months

from the last major service (whichever occurs first)
*Only required for vehicles that are operated in extreme conditions.**

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants as listed:

- 0.4 hours labour

There will also be a charge for additional services as requested:
.....
.....
.....
Signature ..... Date .....

Note: If the owner of this vehicle has changed since the last service, refer to the change form in the introduction of your Owner's Handbook.

Under vehicle

- ❑ Inspect front and rear disc pads for wear.
- ❑ Check all brake hoses and pipes for condition, attachment and routing.
- ❑ Inspect steering system for damaged, loose or missing parts, signs of wear or lack of lubrication.
- ❑ Inspect ball joints and dust covers.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears and splits.
- ❑ Inspect light operation.

- ❑ Brake Fluid Change every 2 years (regardless of km)
- ❑ Clutch Fluid Change every 2 years (regardless of km)
- ❑ Coolant Change every 5 years (regardless of km)

*For applicable operating conditions , refer to page 2.

Service Coupon: 210 000 km or 12 months from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants as listed:

- 2.2 hours labour
- engine oil and engine oil filter
- fuel filter and sealing ring
- automatic transmission fluid & gasket
- if brake fluid changed add 0.4 hour plus brake fluid
- if clutch fluid changed add 0.2 hour plus clutch fluid
- if engine coolant changed add 0.4 hour plus coolant
- If auto transmission add 0.3 hour labour

There will also be a charge for additional services as requested:
.....
.....
.....
Signature ..... Date .....

Note: If the owner of this vehicle has changed since the last service, refer to the change form in the introduction of your Owner's Handbook.

Under bonnet

- ❑ Change engine oil and engine oil filter.
- ❑ Check fluid levels: brake, power steering, clutch, automatic transmission and washer. Check coolant inhibitor % with tester and check level (pressure test if level low).
- ❑ Check accessory drive belt length and condition.
- ❑ Check battery electrolyte and fluid level.
- ❑ Check for signs of deterioration and/or leaks from engine, fluid reservoirs,

- ❑ Brake Fluid Change every 2 years (regardless of km)
- ❑ Clutch Fluid Change every 2 years (regardless of km)
- ❑ Coolant Change every 5 years (regardless of km)

Service items continue next page.

Service Valiation
210 000 kms or 12 months since last service (whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 210 000 km / 12 month service.
Servicing Dealer .....
Brake fluid changed: YES / NO Coolant changed: YES / NO
Clutch fluid changed YES / NO / N/A (Not Applicable)
Date of Service ..... Odometer .....
Signed .....

Additional services performed:
.....
.....
.....

Under vehicle

- ❑ Check final drive and transmission for leaks.
- ❑ Replace fuel filter and sealing ring.
- ❑ Inspect front and rear disc pads for wear. Disc surface condition. Rotate and balance wheels.
- ❑ Inspect tyres for irregular wear and damage. Check tyre pressures. Check for damaged wheels.
- ❑ Check all brake and fuel pipes and hoses for condition, attachment and routing.
- ❑ Change auto trans fluid & gasket (4spd.)
- ❑ Inspect front and rear suspension and steering system for damaged, loose or missing parts, signs of wear or lack of lubrication. Inspect power steering pipes and hoses for condition, attachment and routing and leaks.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears and splits.
- ❑ Inspect exhaust system and adjacent underbody. Look for damaged, missing or misaligned parts, open seams, holes or loose connections. Run vehicle and check for exhaust leaks.
- ❑ Auto Load Levelling (if fitted). Change air filter.
- ❑ Clean and lubricate automatic transmission shift linkage.
- ❑ Inspect sunroof drain holes for blockage.
- ❑ Inspect oil pan for damaged, missing or misaligned parts and loose connections.
- ❑ (AWD) Check front & rear final drives, transfer case & auto trans for leaks.
- ❑ (AWD) Inspect sunroof front drain grommet for blockage.

Vehicle interior

- ❑ Check park brake operation.
- ❑ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ❑ Reset service reminder display.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Lubricate bonnet catch, door hinges and all lock cylinders.
- ❑ Check transmitter range of security system.
- ❑ (AWD) Inspect sunroof rear drain grommets for blockage. (Top corners of tailgate.)

Road Test

- ❑ Check for braking, steering, engine response and transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for, and complete, all relevant outstanding service campaigns and manufacturer recalls.